

VP300 & VP400

A new formula for simplicity



**NILFISK**

# Simply switch on simplicity

Mix simple with powerful and add convenience—and there you have it: a new formula for clean. Second-to-none engineering disguised as simplicity itself!

Our new range of compact dry canister vacuums is engineered for superior performance yet is simple to operate, getting the job done faster, comfortably, and efficiently. Simply switch on simplicity – just by using your foot.

This range helps you resolve any pain points you may have working in contract cleaning, education and institutions, hospitality, retail, offices, and healthcare.



Intuitive controls and simple bag replacements make use and maintenance hassle-free and reduce downtime.



Engineered for superior performance with best-in-class filling capacity, allowing for more cleaning time.



A foot-reachable power switch and seamless cord management make starting and transitioning to other areas easy.



The ergonomic touchpoints and lightweight design reduce strain - the compactness is well-suited for crowded places.



# Nilfisk VP300 – an improved success

With its vibrant next-generation design, our Nilfisk VP300 now has improved ergonomics on the handle, lock, and bent-end, reducing strain, best-in-class filling capacity, and easy cord management. Simply elevating the user experience ensures powerful productivity. Top features include

- Colored touchpoints guide the user where to interact with the machine making it easy to use
- Tool-free maintenance makes it easy to access bags and filters
- Foot-reachable power switch
- New cord storage – no need to unwind the long power cord
- Quiet operation expands the cleaning hours without disturbing



# Nilfisk VP400 – new (and best) in class

Nilfisk VP400 is a whole new formula for cleaning. Simply outstanding performance and convenience cramped into a compact canister for time-saving productivity. A durable, high-quality cord rewind system ensures a smooth and user-friendly operation. Top features include

- Colored touchpoints guide users to where they should interact with the machine
- Easy to check and replace prefilter and HEPA filter to maintain suction power and cleaning performance
- Foot-reachable power switch and seamless cord rewind make it simple to get started and transition to other areas
- Compact and agile, well suited for effective cleaning in congested environments
- Quiet operation expands the cleaning hours without disturbing





### Technical specifications

Description	Unit	VP300 HEPA BASIC EU	VP300 HEPA EP S2 EU	VP300 R HEPA T EU	VP300 HEPA TC CH
Voltage/Frequency	V/Hz	220-240/50-60	220-240/50-60	220-240/50-60	220-240/50-60
Protection class / IP protection		II / IP20	II / IP20	II / IP20	II / IP20
Rated Power	W	700	700	700	700
Suction Power (end of tube)	W	225	225	225	225
Airflow (end of tube)	l/s	32	32	32	32
Vacuum at nozzle	kPa	22	22	22	22
Working sound level @2m (IEC 60335-2-69)	dB(A)	51	51	51	51
Sound pressure level @1m (IEC 60335-2-69)	dB(A)	56	56	56	56
Dust bag capacity	L	10	10	10	10
Main filter type		HEPA 13	HEPA 14	HEPA 13	HEPA 13
Main filter area	cm <sup>2</sup>	2400	2400	2400	2400
Cord length		10	10	10	10
Weight (machine)	Kg	4,5	4,5	4,5	4,5
Dimensions (LxWxH)	mm	398x340x395	398x340x395	398x340x395	398x340x395

### Technical specifications

Description	Unit	VP400 HEPA EU	VP400 R HEPA T EU
Voltage/Frequency	V/Hz	220-240/50-60	220-240/50-60
Protection class / IP protection		II / IP20	II / IP20
Rated Power	W	700	700
Suction Power (end of tube)	W	225	225
Airflow (end of tube)	l/s	32	32
Vacuum at nozzle	kPa	22	22
Working sound level @2m (IEC 60335-2-69)	dB(A)	51	51
Sound pressure level @1m (IEC 60335-2-69)	dB(A)	56	56
Dust bag capacity	L	10	10
Main filter type		HEPA 13	HEPA 13
Main filter area	cm <sup>2</sup>	2400	2400
Cord length	m	15	10
Weight (machine)	Kg	5,5	5,5
Dimensions (LxWxH)	mm	398x340x395	398x340x395

Nilfisk A/S

Marmorvej 8 · 2100 Copenhagen Ø · Denmark

Industrivej 1 · 9560 Hadsund

Tel. +45 72 18 21 00 · kundeservice.dk@nilfisk.com

www.nilfisk.dk

# NILFISK