## A new formula for simplicity



NILFISK

### Simply switch on simplicity

Mix simple with powerful and add convenience—and there you have it: an improved formula for clean. Second-to-none engineering disguised as simplicity itself!

Our range of compact dry canister vacuums is engineered for superior performance yet is simple to operate, getting the job done faster, comfortably, and efficiently. Simply switch on simplicity – just by using your foot.

This range helps you resolve any pain points you may have working in contract cleaning, education and institutions, hospitality, retail, offices, and healthcare.



Intuitive controls and simple bag replacements make use and maintenance hasslefree and reduce downtime.



Engineered for superior performance with best-in-class filling capacity, allowing for more cleaning time.



A foot-reachable power switch and seamless cord management make starting and transitioning to other areas easy.



The ergonomic touchpoints and lightweight design reduce strain – the compactness is well-suited for crowded places.



# Nilfisk VP300 and VP400 – improved success


With its vibrant next-generation design, our Nilfisk VP300 and VP400 now have improved ergonomics on the handle, lock, and bent-end, reducing strain, best-in-class filling capacity, and easy cord management. Simply elevating the user experience ensures powerful productivity.

#### Top features include:

- Colored touchpoints guide the user where to interact with the machine making it easy to use
- Tool-free maintenance makes it easy to access bags and filters
- · Foot-reachable power switch
- Enhanced cord management VP300 offers upgraded cord storage while the VP400 has a high quality cord rewind system
- Quiet operation expands cleaning hours without disruption

VP300	VP400
$\odot$	$\bigcirc$
$\bigcirc$	$\bigcirc$
$\bigcirc$	$\bigcirc$
	$\bigcirc$
	$\bigcirc$
	$\bigcirc$
	VP300

#### Sound comparison level









#### **Technical specifications**

Description	Unit	VP300 HEPA US	VP400 HEPA US
Voltage/Frequency	V/Hz	220-240/50-60	220-240/50-60
Protection class / IP protection		II / IP20	II / IP20
Rated Power	W	700	700
Suction Power (end of tube)	W	225	225
Airflow (end of tube)	cfm	68	68
Vacuum at nozzle	kPa	22	22
Working sound level @2m (IEC 60335-2-69)	dB(A)	51	51
Sound pressure level @1m (IEC 60335-2-69)	dB(A)	56	56
Dust bag capacity	L / gal	10 / 2.6	10 / 2.6
Main filter type		HEPA 14	HEPA 14
Main filter area	cm²	2400	2400
Cord length	m / ft	10 / 32.8	15 / 49.2
Weight (machine)	Kg / Ibs	4.5 / 10	5.5 / 12.1
Dimensions (LxWxH)	in	15.7x13.4x15.6	15.7x13.4x15.6

Nilfisk, Inc. 9435 Winnetka Avenue North Brooklyn Park, MN 55445 Phone 800-850-5559 · Fax 800-989-6566 www.nilfisk.us Nilfisk Canada Co. 240 Superior Boulevard Mississauga, Ontario, Canada L5T 2L2 Phone 800-668-8400 · Fax 800-263-5111 www.nilfisk.ca

